

Gyproc® Habito®

Habito®
for better walls



+ 4 screws
+ 5 minutes
= 120 kg **FIXED**

Gyproc® Habito®

Practical space saving family solutions for your home.

Everybody wants to feel good at home.

People who want to stay in the same home for many years, need innovative building solutions to be able to change the design of their rooms whenever they want.

Habito® – New wall solutions for lifetime lasting homes.

Habito® is engineered to support the way you live. The secret of its effectiveness lies in its innovative board technology which provides a considerably enhanced performance compared with standard plasterboard. Habito® gives homeowners the freedom to make walls their own, installing or removing fixing depending on their own needs.



**FIXING
CAPABILITY**



ROBUSTNESS



**SOUND
INSULATION**



**INSPIRING
SPACES**



**ENVIRONMENTALLY
FRIENDLY**



Habito® - Strong and durable partitions

It's inevitable that the walls in your home will get knocked, whether it's the kids playing, furniture being moved or just simple wear and tear.

Our Habito® enhanced walls offer a superior resistance to these everyday bangs and are also reassuringly solid.




Habito – interior partitions for your rooms

- ① **GypWall® CLASSIC**- Partition with single layer of HABITO® board each side with insulation
- ② **GypWall® ROBUST** - Partition with double layer of HABITO® & FireStop board each side with insulation
- ③ **GypWall® QUIET for dry area** - Partition with double layer of HABITO® & FireStop board each side with insulation
- ④ **GypWall® QUIET for wet area** - Partition with double layer of HABITO® & Glasroc® H OCEAN board each side with insulation

Technical Information

Gyproc® Habito®

- Thickness : 12.5 mm
- Edge Type : Recessed Edge (RE) 
- Size : 1200 x 2400 mm, 1220 x 2440 mm
- Weight : 35 kg/board

Certified Standards

- BS EN 520
- ASTM C1396 / C1396M-13

Fire Protection

- Non-flammable material under BS 476 Part 7:1997
- Fire resistance under BS 476 Part 22

Environmentally friendly


- Recyclable
- Non-toxic and non-hazardous

Gyproc® Habito®

GypWall® CLASSIC

Plaster Board: Gyproc® Habito® 12.5 mm
 Profile: 62S50 and 64T50 Single Frame
 Stud centre: 600 mm
 Isover Insulation: Thickness 50 mm with
 Destiny 40 kg/m³
 Partition Wall Thickness: 89 mm
 Fire Resistance: 30 mins
 Sound Insulation: STC 44
 Maximum Height: 3100 mm

Partition with single layer of
 Habito® board each side
 with insulation




Gyproc® Habito® 12.5 mm

GypWall® ROBUST

Plaster Board: Gyproc® Habito® 12.5 mm
 & Gyproc® FireStop 13 mm
 Profile: 49S50 and 51T50 Single Frame
 Stud centre: 600 mm
 Isover Insulation: Thickness 50 mm with
 Destiny 40 kg/m³
 Partition Wall Thickness: 102 mm
 Fire Resistance: 120 mins
 Sound Insulation: STC 55
 Maximum Height: 3400 mm
 Duty Rating: Severe

Partition with double layer of
 Habito® & FireStop board
 each side with insulation




Gyproc® Habito® 12.5 mm

Gyproc® FireStop 13 mm

GypWall® QUIET for dry area

Plaster Board: Gyproc® Habito® 12.5 mm
 & Gyproc® FireStop 13 mm
 Profile: 49S50 and 51T50 Twin Frame
 Stud centre: 600 mm
 Isover Insulation: Thickness 50 mm with
 Destiny 24 kg/m³
 Partition Wall Thickness: 180 mm
 Fire Resistance: 120 mins
 Sound Insulation: STC 65
 Maximum Height: 7900 mm
 Duty Rating: Severe

Partition with double layer of
 Habito® & FireStop board
 each side with insulation




Gyproc® Habito® 12.5 mm

Gyproc® FireStop 13 mm

GypWall® QUIET for wet area

Plaster Board: Gyproc® Glasroc® H OCEAN 12.5 mm
 & Gyproc® Habito® 12.5 mm
 Profile: 49S50 and 51T50 Twin Frame
 Stud centre: 400 mm
 Isover Insulation: Thickness 50 mm with
 Destiny 24 kg/m³
 Partition Wall Thickness: 180 mm
 Fire Resistance: 60 mins
 Sound Insulation: STC 65
 Maximum Height: 7900 mm
 Duty Rating: Severe

Partition with double layer of
 Habito® and Glasroc® H OCEAN
 with insulation



Gyproc® Glasroc® H OCEAN 12.5 mm

Gyproc® Habito® 12.5 mm

Gyproc® Habito® System

Gyproc® Habito®

Screw it! Fix it! Ready to use!

The strong surface of our Habito® enables you to fix shelves, curtain poles and TV, without the need for drills or specialist fixings. You can simply screw directly into the wall surface, making DIY easy and giving you more freedom to have your home just the way you want it.

Habito® is a radically different plasterboard. Habito® allows you to fix up to 30 kg directly to your wall using only a standard wood screw. It is also extremely durable and damage resistant compared to standard walls.

A no. 10 woodscrew (5x50 mm) will provide a safe working load (SWL) of up to 30 kg per fixing.

We recommend that you follow the manufacturer's guidance as to the number of fixtures required to mount a fixture. Example: If a TV weight 30 kg with its bracket and the bracket accepts four fixings, you should use four screws, even though this provides 120 kg safe working load.



Fixings / fixtures should not be made into damaged areas.



1 Kitchen Cabinet

+ 4 screws

+ 5 minutes work

= 120 kg FIXED



Written enquiries should be addressed to:
Thai Gypsum Products Pcl.
 Gypsum Metropolitan Tower
 539/2 Si Ayutthaya Road,
 Ratchathewi, Bangkok 10400
 Thailand
 Tel: +66 2 640-8600

Technical Support
 Tel: +66 2 640-8787
 TBOC.GYPROC.THAILAND@SAINT-GOBAIN.COM

Customer Service Centre
 Tel: +66 2 640-8700
 Fax: +66 2 640-8770
 E-mail : export.tgp@saint-gobain.com
www.gyproc.co.th

VERSION : 03/2018



www.gyproc.co.th

Gyproc Thailand